

# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** Sodium Bicarbonate

**Other Identifier:** Bicarb soda, baking soda

**Recommended Use:** Cleaning applications

**Supplier:** Big Bubble  
**ABN:** 51 290 656 636

**Street Address:** 18 Elliott Street  
Midvale  
Western Australia

**Telephone Number:** +61 08 9274 1992

**Poisons Information Centre:** 131 126 Australia

## 2. HAZARDS IDENTIFICATION

**Road and Rail;** Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

### Globally Harmonised System

#### Hazard Classification

Not hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

**Poisons Schedule:** Not Scheduled

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion
Sodium bicarbonate	144-55-8	<=100%

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor at once.

**Ingestion:** IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Get medical advice/attention if a large amount is swallowed or if you feel unwell. Never give anything by mouth to an unconscious person.

**Eye Contact:** IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and

# SAFETY DATA SHEET

lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.

**Skin Contact:** IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.

**Inhalation:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention.

**Medical attention and special treatment:** Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**General** If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.

**Flammability Conditions** Non-combustible.

**Suitable Extinguishing Media:** If material is involved in a fire, use extinguishing media appropriate to local circumstances and the surrounding environment.

**Fire and Explosion Hazards** Decomposes on heating, emitting toxic fumes.

**Hazardous combustion products:** Fire or heat may produce irritating and/or toxic gases, including oxides of Carbon and Sodium.

**Precautions for fire fighters and special protective equipment:** Contain runoff from fire control or dilution water – Runoff may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

**Auto Ignition temperature:** No Data Available

**Decomposition Temperature:** No Data Available

**Flammability:** No Data Available

**Flash Point:** No Data Available

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Ensure adequate ventilation. Do not touch or walk through spilled material – Sweep up to prevent slipping hazard! Avoid dust formation. Avoid breathing dust and contact with eyes, skin, and clothing.

**Protective equipment:** Use personal protective equipment as required (see SECTION 8).

# SAFETY DATA SHEET

<b>Emergency procedures:</b>	Spill or leak area should be isolated immediately. Evacuate personnel to safe areas. Keep unauthorised personnel away.
<b>Environmental Precautions:</b>	Prevent entry into drains and waterways.
<b>Methods and materials for Containment and clean up:</b>	Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements, or confined areas. Pick up and transfer to properly labelled containers for disposal (see SECTION 13). Ventilate area.

## 7. HANDLING AND STORAGE

This material must be stored, maintained and used in accordance with the relevant regulations.

<b>Conditions for safe storage:</b>	Keep in the original, properly labelled container. Store in a cool, dry, and well-ventilated place, out of direct sunlight. Keep containers tightly closed when not in use. Protect from moisture. Keep away from incompatible materials (see SECTION 10).
<b>Precautions for safe handling:</b>	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation. Avoid breathing dust and contact with eyes, skin, and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). To avoid thermal decomposition, do not overheat.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Exposure control measures:</b>	No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards: Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m <sup>3</sup> (measured as inhalable dust).
<b>Biological Monitoring</b>	No information available.
<b>Engineering Controls</b>	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant source, preventing dispersion of it into the general work area.
<b>Personal Protective Equipment</b>	
<b>Eye and Face</b>	Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses or goggles.
<b>Skin</b>	Handle with gloves. Recommended: Impervious gloves. Wear appropriate personal protective clothing to avoid skin contact. Recommended: Dust impervious protective suit.

# SAFETY DATA SHEET

## Respiratory

Wear respiratory protection in case of inadequate ventilation or if an inhalation risk exists. Recommended: Dust mask/particulate respiratory (AS/NZS 1715 & 1716).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Solid
<b>Colour:</b>	White
<b>Odour:</b>	Odourless
<b>pH:</b>	8.0 – 8.5 (1% solution)
<b>Solubility:</b>	Soluble in water – Insoluble in alcohol
<b>Auto Ignition temperature:</b>	No Data Available
<b>Decomposition Temperature:</b>	No Data Available
<b>Evaporation Rate:</b>	No Data Available
<b>Flammability:</b>	No Data Available
<b>Flash Point:</b>	No Data Available
<b>Boiling Point:</b>	No Data Available
<b>Melting/Freezing Point:</b>	No Data Available
<b>Freezing Point</b>	No Data Available
<b>Odour Threshold:</b>	No Data Available
<b>Partition coefficient: n-octanol/water</b>	No Data Available
<b>Relative Density:</b>	No Data Available
<b>Upper Flammability Limit</b>	No Data Available
<b>Lower Flammability Limit:</b>	No Data Available
<b>Explosive limits:</b>	No Data Available
<b>Vapour density:</b>	No Data Available
<b>Vapour pressure;</b>	No Data Available
<b>Viscosity:</b>	No Data Available
<b>Biopersistence:</b>	No Data Available
<b>Crystallinity:</b>	No Data Available
<b>Dustiness:</b>	No Data Available

# SAFETY DATA SHEET

<b>Particle size:</b>	No Data Available
<b>Redox potential:</b>	No Data Available
<b>Release of invisible flammable vapours and gases</b>	No Data Available
<b>Saturated Vapour Concentration</b>	No Data Available

## 10. STABILITY AND REACTIVITY

<b>Chemical stability:</b>	Stable under recommended storage conditions.
<b>Conditions to avoid:</b>	Avoid dust formation. Avoid exposure to moisture or moist air. To avoid thermal decomposition, do not overheat.
<b>Incompatible materials:</b>	Incompatible/reactive with acids, Aluminium (tarnishes).
<b>Hazardous decomposition products:</b>	Decomposes on heating, emitting toxic fumes, including oxides of Carbon and Sodium.
<b>Hazardous reactions or Polymerisation:</b>	Hazardous polymerisation will not occur.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

<b>Exposure Limits:</b>	Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m <sup>3</sup> (measured as inhalable dust).
<b>Ingestion:</b>	May cause nausea, vomiting, and abdominal pain. Large doses may produce symptomatic alkalosis and expansion in extracellular fluid volume with edema.
<b>Eye contact:</b>	Contact may cause irritation due to mechanical abrasion.
<b>Skin contact:</b>	Large amounts of dust may cause mechanical irritation or drying of the skin.
<b>Inhalation:</b>	Prolonged inhalation of dust may cause respiratory irritation.
<b>Acute Toxicity:</b>	Not expected to have an acute toxicity.
<b>Carcinogenicity:</b>	Not expected to be carcinogenic.
<b>Mutagenicity:</b>	Not expected to be mutagenic.

# SAFETY DATA SHEET

**Reproductive:** Not expected to impair fertility.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** Acute LC50, Fish (Oncochynchus Mykiss): 7,100 mg/L (96 h)  
EC50, Crustacea (Daphnia Magna): 4,100 mg/L (48 h)  
NOEC, Crustacea (Daphnia Magna): >576 mg/L (21 d)

Not harmful to aquatic life.

**Persistence and degradability:** Product dissociates rapidly to corresponding ions on contact with water.

**Bioaccumulative potential:** Does not bioaccumulate.

**Mobility:** High mobility (water, soil/sediments).

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods:** Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility. Or refilled at Big Bubble in Midvale.

## 14. TRANSPORT INFORMATION

### Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

### Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

**Poisons Schedule:** Not Scheduled

## 16. OTHER INFORMATION

Revision date: 09/08/2024  
Reason for issue: Update SDS

# SAFETY DATA SHEET

## Key/Legend:

< Less Than

> Greater Than

**AICS** Australian Inventory of Chemical Substances

**atm** Atmosphere

**CAS** Chemical Abstracts Service (Registry Number)

**cm<sup>2</sup>** Square Centimetres

**CO<sub>2</sub>** Carbon Dioxide

**COD** Chemical Oxygen Demand

**deg C (°C)** Degrees Celcius

**g** Grams

**g/cm<sup>3</sup>** Grams per Cubic Centimetre

**g/l** Grams per Litre

**HSNO** Hazardous Substance and New Organism

**IDLH** Immediately Dangerous to Life and Health

**immiscible** Liquids are insoluble in each other.

**inHg** Inch of Mercury

**inH<sub>2</sub>O** Inch of Water

**K** Kelvin

**kg** Kilogram

**kg/m<sup>3</sup>** Kilograms per Cubic Metre

**LC<sub>50</sub>** LC stands for lethal concentration. LC<sub>50</sub> is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

**LD<sub>50</sub>** LD stands for Lethal Dose. LD<sub>50</sub> is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

**ltr or L** Litre

**m<sup>3</sup>** Cubic Metre

**mbar** Millibar

**mg** Milligram

**mg/24H** Milligrams per 24 Hours

**mg/kg** Milligrams per Kilogram

**mg/m<sup>3</sup>** Milligrams per Cubic Metre

**Misc or Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

**mm** Millimetre

**mmH<sub>2</sub>O** Millimetres of Water

**mPa.s** Millipascals per Second

**N/A** Not Applicable

**NIOSH** National Institute for Occupational Safety and Health

**NOHSC** National Occupational Health and Safety Commission

**OECD** Organisation for Economic Co-operation and Development

**PEL** Permissible Exposure Limit

**Pa** Pascal

**ppb** Parts per Billion

**ppm** Parts per Million

**ppm/2h** Parts per Million per 2 Hours

**ppm/6h** Parts per Million per 6 Hours

**psi** Pounds per Square Inch

**R** Rankine

**RCP** Reciprocal Calculation Procedure

# SAFETY DATA SHEET

**STEL** Short Term Exposure Limit  
**TLV** Threshold Limit Value<sup>[1]</sup> the Tonne<sup>[1]</sup>  
**TWA** Time Weighted Average  
**ug/24H** Micrograms per 24 Hours  
**UN** United Nations  
**wt** Weight

This material safety data sheet has been prepared by Midland Chemicals

This MSDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside Midland Chemicals control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.